



**HTL - 10195-CS**

1.25EL1V + STA + 1.25NA1V + C12 + 1.25NA  
+ STA + 1.25ER1V, Contrast Stitching



Footrest  
Open



Seat  
Cushion





**HTL - 10195-CS** 3S3VA, Contrast Stitching



Footrest Open



Footrest Open



Seat Cushion





**HTL - 10195-CS** 1S1X, 1S1V, 1S1B, Contrast Stitching



Footrest Open





Seat Cushion





**DIMENSION**


Configuration	Width		Depth		Seat Depth		Back Height		Seat Height		Weight		Volume	
	cm	inch	cm	inch	cm	inch	cm	inch	cm	inch	kg	lb	m <sup>3</sup>	ft <sup>3</sup>
3S3VA	234	92	96 - 162	38 - 64	56	22	98	39	49	19	118	260	2.20	77.74
3S2VA	236	93	96 - 162	38 - 64	56	22	98	39	49	19	111	245	2.22	78.41
2.5S2VA	214	84	96 - 162	38 - 64	56	22	98	39	49	19	101	222	2.01	71.10
2S2VA, 2S2GA	174	69	96 - 162	38 - 64	56	22	98	39	49	19	82	181	1.64	57.81
1S1V, 1S1G, 1S1B	106	42	96 - 162	38 - 64	56	22	98	39	49	19	49	108	1.00	35.22
1S1GS (#4181S)														
2S2GVTA-USB	208	82	96 - 162	38 - 64	56	22	98	39	49	19	115	254	1.96	69.11
2EL1VA, 2ER1VA	148	58	96 - 162	38 - 64	56	22	98	39	49	19	71	157	1.39	49.17
1.5EL1V, 1.5ER1V	106	42	96 - 162	38 - 64	56	22	98	39	49	19	51	112	1.00	35.22
1.25EL1V, 1.25ER1V	101	40	96 - 162	38 - 64	56	22	98	39	49	19	48	107	0.95	33.56
1EL1V, 1ER1V	86	34	96 - 162	38 - 64	56	22	98	39	49	19	41	91	0.81	28.57
1.25NA1V	75	30	96 - 162	38 - 64	56	22	98	39	49	19	39	86	0.71	24.92
1.25NA	75	30	96	38	56	22	98	39	49	19	22	49	0.71	24.92
STA	32	13	96	38	-	-	98	39	-	-	14	31	0.30	10.63
C12	124	49	124	49	-	-	98	39	49	19	30	67	1.51	53.21
SFST	52	20	52	20	-	-	-	-	46	18	12	27	0.12	4.39



**CONSTRUCTION**

- ⇒ **SEAT** : No-sag Spring
- ⇒ **BACK REST** : No-sag Spring
- ⇒ **SEAT CUSHION** : D/32 + D/29
- ⇒ **BACK REST CUSHION** : Loose Fibre
- ⇒ **SOFA LEGS** (front & rear) :
  - code : PLG-004-01L / PLG-003-01L / PLG-046-01L / PLG-005-01L
  - material : Plastic
  - height : 15mm (PLG-004-01L)
  - : 25mm (PLG-003-01L)
  - : 40mm (PLG-046-01L)
  - : 50mm (PLG-005-01L)
  - colour : 01 = Black

**COMBINATIONS**



\* Available in **MANUAL(X)** , **ELECTRIC (V)** Versions **Battery (B)** Version

